



## Stye and Chalazion

### What is a stye?

A stye (also called a hordeolum) is a small, red, painful lump that grows from the base of your eyelash or under the eyelid. Most styes are caused by a bacterial infection.

There are two kinds of styes:

- **External hordeolum:** A stye that begins at the base of your eyelash. Most are caused by an infection in the hair follicle. It might look like a pimple.
- **Internal hordeolum:** A stye inside your eyelid. Most are caused by an infection in an oil-producing gland in your eyelid.

You can also get a stye if you have blepharitis. This is a condition that makes your eyelids at the base of the eyelashes red and swollen.

When you first get a stye, your eyelid is probably red and tender to the touch. Your eye may also feel sore and scratchy.

### What is a chalazion?

A chalazion is a swollen bump on the eyelid. It happens when the eyelid's oil gland clogs up. It may start as an internal hordeolum (stye). At first, you might not know you have a chalazion as there is little or no pain. But as it grows, your eyelid may get red, swollen, and sometimes tender to touch. If the chalazion gets large, it can press on your eye and cause blurry vision. Rarely, the whole eyelid might swell.



A chalazion is a swollen bump on the eyelid from a clogged oil gland.

### What is the difference between a stye and a chalazion?

Sometimes it can be difficult to tell the difference between a stye and a chalazion.

A stye is very painful. It often appears at the eyelid's edge, usually caused by an infected eyelash root. It often swells, sometimes affecting the entire eyelid.

A chalazion is not usually painful. It is a bump that usually develops farther back on the eyelid than a stye. It is caused by a clogged oil gland. Rarely does it make the entire eyelid swell.

## What are stye and chalazion symptoms?

Stye symptoms can include:

- a very painful red bump along the edge of the eyelid at the base of the eyelashes. It may make the entire eyelid swell.
- usually a small pus spot at the center of the bump
- feeling like something is in your eye
- having a scratchy feeling in the eye
- being sensitive to light
- crustiness along the eyelid margin
- tearing in that eye

A chalazion can develop and you might not see any symptoms. When there are symptoms, they can include:

- a bump on the eyelid, sometimes becoming red and swollen. Occasionally it can be tender.
- rarely, an entirely swollen eyelid
- blurry vision, if the chalazion is large enough to press on the eyeball

## Who is most likely to get a stye or chalazion?

Anyone can get a stye or chalazion. But you are even more likely to get one if you have:

- Blepharitis, a problem that affects the edge of your eyelid
- Had a stye or chalazion before
- A skin condition, such as acne rosacea or seborrheic dermatitis
- Diabetes or other medical problems

## How is a stye or a chalazion treated?

Here are ways to treat your stye or chalazion:

**Warm compresses.** Soak a clean washcloth in hot water and hold it to your eyelid for 10–15 minutes at a time, 3–5 times a day. Keep the cloth warm by soaking it in hot water often. For a chalazion, this warm compress helps the clogged oil gland to open and drain. You can help the gland clear itself by gently massaging around the area with your clean finger.

**Antibiotics.** Your ophthalmologist may prescribe an antibiotic for an infected stye.

**Steroid shots.** If your chalazion is very swollen, your ophthalmologist may give you a steroid shot (cortisone) to reduce the swelling.

**Surgery to drain the area.** If your stye or chalazion affects vision or does not go away, you may need to have it drained. This surgery is usually done in the doctor's office using local anesthesia.

If a stye or chalazion keeps coming back time after time, your ophthalmologist may biopsy it. This is where a tiny piece of tissue is removed and studied. This helps your ophthalmologist check to see if there is a more serious eye problem.

**Do not squeeze or try to pop a stye or chalazion.** Doing so could spread the infection into your eyelid. Do not wear eye makeup or contact lenses while you have a stye or chalazion.

---

## Summary

A stye (hordeolum) is a small, painful bump at the base of your eyelash or under the eyelid. It often causes the eyelid to swell. A chalazion is a larger red lump on the eyelid. A chalazion is not usually very painful, and it usually doesn't cause the entire eyelid to swell. Treatments range from warm compresses to medication, based on what your ophthalmologist sees. In some cases, surgery may be needed to drain the stye or chalazion.

If you have any questions about your eyes or your vision, speak with your ophthalmologist. They are committed to protecting your sight.

Get more information about styes from EyeSmart—provided by the American Academy of Ophthalmology—at [aao.org/stye-link](http://aao.org/stye-link).

### COMPLIMENTS OF:

## LONGWOOD EYE & LASIK

180 Daggett Drive  
33 Riddell Street  
354 Main Street  
33 Electric Avenue  
800.676.5050

West Springfield  
Greenfield  
Gardner  
Fitchburg  
[www.longwoodeye.com](http://www.longwoodeye.com)